L Hits Search Text DB Number 1 17934 load\$3 near5 driver USPAT;	Time stamp 2004/01/08 21:31
	1 21 - 21
US-PGPUB;	121.31
EPO; JPO;	
DERWENT;	
IBM_TDB	2004/01/00
2 287 (load\$3 near5 driver) and "1394" USPAT; US-PGPUB;	2004/01/08
EPO; JPO;	21:32
DERWENT;	
IBM TDB	
3 11596003 "3" and(@ad<19991101 @rlad<19991101 USPAT;	2004/01/08
@prad<19991101)	21:32
EPO; JPO;	
DERWENT;	
IBM_TDB 196 ((load\$3 near5 driver) and "1394") USPAT;	2004/01/08
and (@ad<19991101 @rlad<19991101 US-PGPUB;	21:23
@prad<19991101) EPO; JPO;	
DERWENT;	
IBM_TDB	
5 27361 (cofigur\$ reconfigur\$ chang\$3 alter\$3 USPAT;	2004/01/08
modif\$)near8 driver US-PGPUB;	21:22
EPO; JPO;	
DERWENT;	
6 52 (((load\$3 near5 driver) and "1394") USPAT;	2004/01/08
and (@ad<19991101 @rlad<19991101 US-PGPUB;	21:03
<pre>@prad<19991101)) and ((cofigur\$ EPO; JPO;</pre>	,
reconfigur\$ chang\$3 alter\$3 modif\$)near8 DERWENT;	
driver) IBM_TDB	
7 49 ((configur\$) near8 driver) and (((load\$3 USPAT;	2004/01/08
near5 driver) and "1394") US-PGPUB; and (@ad<19991101 @rlad<19991101 EPO; JPO;	21:22
@prad<19991101)) DERWENT;	
IBM TDB	
87 (load\$3 near5 driver) same enumerat\$ USPAT;	2004/01/08
US-PGPUB;	21:23
EPO; JPO;	
DERWENT;	
9 52 ((load\$3 near5 driver) same enumerat\$) USPAT;	2004/01/08
and (@ad<19991101 @rlad<19991101 US-PGPUB;	21:29
@prad<19991101)	
DERWENT;	
IBM_TDB	
7 (((load\$3 near5 driver) same enumerat\$) USPAT;	2004/01/08
and (@ad<19991101 @rlad<19991101 US-PGPUB;	21:29
IBM TDB	
11 5123 detect near5 driver USPAT;	2004/01/08
US-PGPUB;	21:31
EPO; JPO;	
DERWENT;	
IBM_TDB 19967 detect\$3 near5 driver USPAT;	2004/01/09
12 19967 detect\$3 near5 driver USPAT; US-PGPUB;	2004/01/08
EPO; JPO;	21.31
DERWENT;	
IBM_TDB	
13 215 (detect\$3 near5 driver) and "1394" USPAT;	2004/01/08
US-PGPUB;	21:32
EPO; JPO;	
DERWENT;	
IBM_TDB USPAT;	2004/01/08
and (@ad<19991101 @rlad<19991101 US-PGPUB;	21:32
@prad<19991101)	
DERWENT;	
IBM TDB	<u></u>

Search History 1/8/04 10:10:40 PM Page 1

15	36764	(load\$ initiali\$ configur\$ reconfigur\$)near8 driver	USPAT; US-PGPUB;	2004/01/08 21:33
		reconfigurational driver	EPO; JPO;	21:33
			DERWENT;	
			IBM_TDB	
16	51	(((detect\$3 near5 driver) and "1394") and(@ad<19991101 @rlad<19991101	USPAT; US-PGPUB;	2004/01/08
		@prad<19991101)) and ((load\$ initiali\$	EPO; JPO;	21.33
		configur\$ reconfigur\$)near8 driver)	DERWENT;	
		(#C000110# #C5050C5# #5200027# #C1C74C5#	IBM_TDB	2004/01/07
_	20	("6098110" "6505265" "5388237" "6167465" "6226338" "5941967" "5828856" "5826101"	USPAT; US-PGPUB;	15:43
		"6205524" "5991817").pn.	EPO; JPO;	
		_	DERWENT;	
	199	non adj dma	IBM_TDB USPAT;	2004/01/07
-	199	lion adj dina	US-PGPUB;	15:54
			EPO; JPO;	
			DERWENT;	
_	1	(("6098110" "6505265" "5388237" "6167465"	IBM_TDB USPAT;	2004/01/07
	•	"6226338"	US-PGPUB;	15:54
		"6205524" "5991817").pn.) and (non adj	EPO; JPO;	
		dma)	DERWENT; IBM TDB	
_	74	arbitrat\$ and (non adj dma)	USPAT;	2004/01/07
			US-PGPUB;	15:55
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1	arbitrat\$ with (non adj dma)	USPAT;	2004/01/07
			US-PGPUB;	15:56
			EPO; JPO;	
			DERWENT; IBM TDB	
-	853	arbitrat\$ same(realtime(real adj time))	USPAT;	2004/01/07
			US-PGPUB;	15:57
			EPO; JPO; DERWENT;	
			IBM TDB	
-	78	(arbitrat\$ same(realtime(real adj time)))	USPĀT;	2004/01/07
		same dma	US-PGPUB;	16:10
			EPO; JPO; DERWENT;	
			IBM TDB	
_	16711	detect\$ near4 driver	USPAT;	2004/01/07
			US-PGPUB; EPO; JPO;	16:11
			DERWENT;	
			IBM_TDB	
_	611	detect\$ near4((device link)adj2 driver)	USPAT; US-PGPUB;	2004/01/07
			EPO; JPO;	10.19
			DERWENT;	
_	76	detect\$ near4((device link)adj2 driver))	IBM_TDB USPAT;	2004/01/07
~	/*	and("1394" usb	US-PGPUB;	16:12
		,	EPO; JPO;	
			DERWENT;	
_	1629	((device link)adj2(software driver))and	IBM_TDB USPAT;	2004/01/07
	1023	capability and ("1394" usb)	US-PGPUB;	20:51
		- · ·	EPO; JPO;	
			DERWENT; IBM TDB	
_	2557	((device link)adj2(software	USPAT;	2004/01/07
		driver))with(configur\$ reconfigur\$)	US-PGPUB;	16:21
			EPO; JPO;	
			DERWENT; IBM TDB	
	<u> </u>			<u> </u>

-	271	<pre>(((device link)adj2(software driver))and capability and("1394" usb)) and (((device link)adj2(software driver))with(configur\$ reconfigur\$))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 16:21
-	109	<pre>((((device link)adj2(software driver))and capability and("1394" usb)) and (((device link)adj2(software driver))with(configur\$ reconfigur\$))) and(@ad<19991101 @rlad<19991101 @prad<19991101)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 20:52
	78490	reconfigur\$ updat\$ alter\$3 chang\$5)near5(registry configuration driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 20:07
_	469	(((device link)adj2(software driver))and capability and("1394" usb)) and (reconfigur\$ updat\$ alter\$3 chang\$5)near5(registry configuration driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 20:07
-	213	((((device link)adj2(software driver))and capability and("1394" usb)) and (reconfigur\$ updat\$ alter\$3 chang\$5)near5(registry configuration driver)) and(@ad<19991101 @rlad<19991101 @prad<19991101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 20:08
_	157	(((((device link)adj2(software driver))and capability and("1394" usb)) and (reconfigur\$ updat\$ alter\$3 chang\$5)near5(registry configuration driver)) and(@ad<19991101 @rlad<19991101 @prad<19991101)) not ((((device link)adj2(software driver))and capability and("1394" usb)) and (((device link)adj2(software driver))with(configur\$ reconfigur\$))) and(@ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 21:01
_	31830	@rlad<19991101 @prad<19991101)) (generat\$3 new\$3)near3 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 20:51
-	35790	((device link)adj2(software driver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 20:51
_	115	((generat\$3 new\$3)near3 configuration) and (((device link)adj2(software driver))) and "1394"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 21:54
	65	(((generat\$3 new\$3)near3 configuration) and (((device link)adj2(software driver))) and "1394") and(@ad<19991101 @rlad<19991101 @prad<19991101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 21:04
-	45052	(alter\$3 reconfigur\$ chang\$4 load\$3 modif\$ updat\$3)NEAR7 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 21:04
_	326	<pre>((alter\$3 reconfigur\$ chang\$4 load\$3 modif\$ updat\$3)NEAR7 driver) and (((device link)adj2(software driver))) and "1394"</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/07 21:04

-	74	(((alter\$3 reconfigur\$ chang\$4 load\$3	USPAT;	2004/01/07
		modif\$ updat\$3)NEAR7 driver) and	US-PGPUB;	21:54
		(((device link)adj2(software driver)))	EPO; JPO;	
		and "1394") and (@ad<19991101	DERWENT;	
		@rlad<19991101	IBM TDB	ł
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		<pre>@prad<19991101))not(((((device</pre>		
		link)adj2(software driver))and capability		
		and("1394" usb)) and (((device		1
		<pre>link)adj2(software driver))with(configur\$</pre>		
		reconfigur\$))) and(@ad<19991101		
		@rlad<19991101 @prad<19991101))		
		((((device link)adj2(software]
i		driver)) and capability and ("1394" usb))		
	1	and (reconfigur\$ updat\$ alter\$3		1
	1	chang\$5)near5(registry configuration		i
		driver)) and (@ad<19991101 @rlad<19991101		
	1		İ	
		<pre>@prad<19991101)) ((((generat\$3</pre>		
		new\$3)near3 configuration) and (((device		1
		link)adj2(software driver))) and "1394")		
		and(@ad<19991101 @rlad<19991101	1	
		@prad<19991101))		
-	1082	(reconfigur\$ updat\$ alter\$3	USPAT;	2004/01/07
	Ī	chang\$5)near5(registry configuration	US-PGPUB;	21:53
		driver) with (((device link)adj2(software	EPO; JPO;	
		driver)))	DERWENT;	
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	IBM TDB	
_	(3)	//roganfigure undate altares	_	2004/01/07
-	63		USPAT;	2004/01/07
		chang\$5)near5(registry configuration	US-PGPUB;	21:54
		driver) with (((device link)adj2(software	EPO; JPO;	
		driver)))) and "1394"	DERWENT;	
			IBM_TDB	
-	0	(((reconfigur\$ updat\$ alter\$3	USPAT;	2004/01/07
		chang\$5)near5(registry configuration	US-PGPUB;	21:54
		driver) with (((device link)adj2(software	EPO; JPO;	
		driver)))) and "1394") and (@ad<19991101	DERWENT;	
		@rlad<19991101	IBM TDB	
		<pre>@prad<19991101))not((((device</pre>		
		link)adj2(software driver))and capability		
		and ("1394" usb)) and (((device		l i
		link)adj2(software driver))with(configur\$		
		reconfigur\$))) and(@ad<19991101		
	ŀ	@rlad<19991101 @prad<19991101))		1
		((((device link)adj2(software		
		driver)) and capability and ("1394" usb))		
		and (reconfigur\$ updat\$ alter\$3		
		chang\$5)near5(registry configuration		
		driver)) and(@ad<19991101 @rlad<19991101		
		<pre>@prad<19991101)) ((((generat\$3</pre>		j l
		new\$3)near3 configuration) and (((device		
		link)adj2(software driver))) and "1394")		
]		and(@ad<19991101 @rlad<19991101		
		<pre>@prad<19991101)) (((alter\$3 reconfigur\$</pre>		
		chang\$4 load\$3 modif\$ updat\$3)NEAR7		
[driver) and (((device link)adj2(software		
[driver))) and "1394") and (@ad<19991101		
]		driver;;; and 1394; and (ead(1999)101		
1		@frad<19991101 @prad<19991101)		
1				
		link)adj2(software driver))and capability		
		and ("1394" usb)) and (((device		
		link) adj2 (software driver)) with (configur\$		
		reconfigur\$))) and(@ad<19991101		
		@rlad<19991101 @prad<19991101))		
		((((device link)adj2(software		
		driver))and capability and("1394" usb))		
		and (reconfigur\$ updat\$ alter\$3		
		chang\$5)near5(registry configuration		
		driver)) and (@ad<19991101 @rlad<19991101		
		<pre>@prad<19991101)) ((((generat\$3</pre>		
		new\$3)near3 configuration) and (((device		
1		link)adj2(software driver))) and "1394")		
1		and (@ad<19991101 @rlad<19991101		l l
		@prad<19991101)))		
	ı	<u> </u>	L	I

[-	2	6446142.pn.	USPAT;	2004/01/08
		-	US-PGPUB;	15:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6366964.pn.	USPAT;	2004/01/08
			US-PGPUB;	20:59
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	